


Furnizor: **Sc Trivolt Distribution SRL**  
Reg. com.: J23/3300/2016  
CIF: RO36421140  
Adresa: Strada Apusului nr 3 ( primul  
sens giratoriu Tehodor Pallady-  
Autostrada Soarelui), Catelu, Ilfov  
Banca: BRD  
IBAN: RO34BRDE441SV13182234410

	<p><b><u>IEK IZOLATOR CONNECTING STUDS 110 MM PENTRU ISP (K-TWO PCS.)</u></b></p> <p>Intended for the insulation of the connecting studs during the installation of insulators in the flat tire assembly. Used to organize bus-bar assemblies and install various branches from central buses in electrical switchboards and switchboards with a rated current of 250 to 4000 A. Insulators are made in the form of tubes of different lengths, which makes it possible to use with power buses of different widths. Made of fiberglass fabric coated with epoxy resin. Convenient and fast installation of cable routes. The high strength of the SMC insulator material guarantees resistance to dynamic loads in the event of short-circuit currents.</p> <p>Universal insulator provides the possibility of using from 1 to 3 copper or aluminum tires with a thickness of 5 to 10 mm for currents from 250 to 4000 A.</p> <p>A wide range of insulators connecting studs allows the use of tires up to 120 mm thick. Bolt dimension metric (M.): 12</p> <p>Length: 110</p> <p>Flammability category in accordance with GOST 28157: IEK_V0000493</p> <p>Material: IEK_V0000496</p> <p>Surface protection: IEK_V0000497</p> <p>Rated surge voltage invariability: 8000</p> <p>Nominal insulation voltage: 400</p> <p>Pret: 11,70 lei (TVA inclus)</p> <p>Detalii online: <a href="https://www.materialeelectrice.ro/izolator-connecting-studs-110-mm-pentru-isp-k-two-pcs-308953">https://www.materialeelectrice.ro/izolator-connecting-studs-110-mm-pentru-isp-k-two-pcs-308953</a></p>
--	---