



Furnizor: **Sc Trivolt Distribution SRL** Reg. com.: J23/3300/2016 CIF: RO36421140 Adresa: Strada Apusului nr 3 (primul sens giratoriu Tehodor Pallady-Autostrada Soarelui), Catelu, Ilfov

Banca: BRD IBAN: RO34BRDE441SV13182234410



IEK INSULATED BUSHINGS GIA 16-35 (MJPB 16-35)

GIA bushings for self-carrying wires serve for mechanical and electrical connection of self-supporting wires. Admitted mechanical stress on the crimped connection for carrying wires makes up 40% of its tensile strength when connected to a SSIC wire and 20% in case of copper wire crimping. GIA bushings for self-carrying wires serve for mechanical and electrical connection of self-supporting wires.

Admitted mechanical stress on the crimped connection for carrying wires makes up 40% of its tensile strength when connected to a SSIC wire and 20% in case of copper wire crimping.Reduced Al nominal cross section: -

Material: EV000072

Voltage row: IEK V0000222

SIP section, RH part: 16.0 SIP section, LH part: 35.0 Color of RH sealed ring: EV000080 Color of left sealed ring: EV000233

Length: 73.0 Outer diameter: 18.5 Internal diameter 1: 5.3 Internal diameter 2: 8.0

Weight: 0.02

Operating temperature range: -50...+60
Application: IEK_V0000226
Matrix Type for Sleeve Slip: IEK_V0000223
Pret: 9,55 lei (TVA inclus)

Detalii online: https://www.materialeelectrice.ro/insulated-bushings-gia-16-35-mjpb-16-35-310346