


Furnizor: **Sc Trivolt Distribution SRL**  
Reg. com.: J23/3300/2016  
CIF: RO36421140  
Adresa: Strada Apusului nr 3 ( primul  
sens giratoriu Tehodor Pallady-  
Autostrada Soarelui), Catelu, Ilfov  
Banca: BRD  
IBAN: RO34BRDE441SV13182234410

	<p><b><u>IEK TERMOCONTRACTIBIL TTSH 55/16 35 KW 2,5:1 RED 1M</u></b></p> <p>Designed for insulation of copper and aluminum buses on electrical substations and in switchgears. They allow for considerable shortening of distances between the phase buses and smaller sizes of equipment. The tubes protect the electrical buses from chemical corrosion. They are featured by improved elasticity and flexibility. The use of insulating tires reduces the likelihood of electric shock to personnel and protects equipment from short-circuit currents when small animals and foreign objects enter the switchgear.</p> <p>High-voltage heat-shrinkable tubes protect copper and aluminum tires from contamination and corrosion, increasing their service life. Model: EV009699</p> <p>Inner diameter before heat-shrink: 55 Inner diameter after heat-shrink: 16 Colour: EV000233 Material: EV000154 Shrink rate: EV000154 Wall thickness after shrinking: 4,0 Length: 1 Operation temperature: -40...110 Mounting temperature: -10...50 AC 50 Hz operating voltage: <math>\leq 35000</math> Tensile strength: <math>\geq 8</math> Volumetric electrical resistance: <math>1\text{N}\dots 10^{11}</math> For dielectric strength up to: <math>\geq 12</math> Min shrinkage start temperature: 120 Min full shrinkage temperature: 150 Type: EV004267 Pret: 62,68 lei (TVA inclus)</p> <p>Detalii online: <a href="https://www.materialeelectrice.ro/termocontractibil-ttsh-55-16-35-kw-2-5-1-red-1m-310469">https://www.materialeelectrice.ro/termocontractibil-ttsh-55-16-35-kw-2-5-1-red-1m-310469</a></p>
---	---