

Furnizor: **Sc Trivolt Distribution SRL**
Reg. com.: J23/3300/2016
CIF: RO36421140
Adresa: Strada Apusului nr 3 (primul
sens giratoriu Tehodor Pallady-
Autostrada Soarelui), Catelu, Ilfov
Banca: BRD
IBAN: RO34BRDE441SV13182234410



IEK LIMITATOR KV-8122 VERTICAL PUSH ROLLER IP65

KV IEK limit switches are designed for switching electrical control, alarm and monitoring circuits with a voltage of up to 250 V under the influence of moving parts of mechanisms. Comply with the requirements of TR CU 004/2011 and GOST IEC 609475-1. High wear resistance.

Fast closing/opening of the contact group.

Versatility and a wide range of models.

Resistance to aggressive environments.

Smooth operation with a large displacement amplitude. Width sensor: 28.6

Diameter sensor: -

Height of sensor: 24.9

Length of sensor: 78.7

Rated operation current Ie at AC-15, 125 V: 3

Switching function: EV000533

Number of contacts as normally closed contact: 1

Number of contacts as normally open contact: 1

Number of contacts as change-over contact: 1

Housing according to norm: EV000154

Material housing: EV000914

Type of control element: EV000528

Alignment of the control element: EV000154

Type of electric connection: EV000154

Ambient temperature during operating: -20...+70

Degree of protection (IP): EV006421

Admissible frequency of inclusions in an hour: 1800

Direct rod stroke: 1,5

Full rod stroke: 4

Direct actuation force: 9

Mechanical wear resistance: 1000000

: 1 $\varnothing \frac{1}{4} \varnothing \frac{1}{4}$

: 10

: 3

: 4

: 4

Pret: 0,00 lei (TVA inclus)

Detalii online: <https://www.materialeelectric.ro/limitator-kv-8122-vertical-push-roller-ip65-312002>