
www.MATERIALE ELECTRICE.ro
Consiliere specializata



SCHNEIDER PRISMA PLUS-G SISTEM- PLACA DE MONT. PT. NSX630 FIX ORIZONTAL - MANER

gama Prisma
compatibilitate gama Prisma G
tip produs sau componenta Placa de montare
categorie de accesorii/piese separate Installation accessory
dispozitiv instalat Easypact fix CVS400 fara protectie punere la pamant - cda: comutare - orizontal instalare - Easypact fix CVS630 fara protectie punere la pamant - cda: comutare - orizontal instalare - Easypact fix EZC400 - cda: comutare - orizontal instalare - Easypact fix EZC630 - cda: comutare - orizontal instalare - Compact fix INS320...400 - cda: manerul rotativ frontal direct - orizontal instalare - Compact fix INS500...630 - cda: manerul rotativ frontal direct - orizontal instalare - Compact fix INV320...400 - cda: manerul rotativ frontal direct - orizontal instalare - Compact fix INV500...630 - cda: manerul rotativ frontal direct - orizontal instalare - Compact fix NSX400 fara protectie punere la pamant - cda: comutare - orizontal instalare - Compact fix NSX630 fara protectie punere la pamant - cda: comutare - orizontal instalare
descrierea polilor 1 x 3P fix CVS400 orizontal instalare - 1 x 4P fix CVS400 orizontal instalare - 1 x 3P fix CVS630 orizontal instalare - 1 x 4P fix CVS630 orizontal instalare - 1 x 3P fix EZC400 orizontal instalare - 1 x 4P fix EZC400 orizontal instalare - 1 x 3P fix EZC630 orizontal instalare - 1 x 4P fix EZC630 orizontal instalare - 1 x 3P fix INS320...400 orizontal instalare - 1 x 4P fix INS320...400 orizontal instalare - 1 x 3P fix INS500...630 orizontal instalare - 1 x 4P fix INS500...630 orizontal instalare - 1 x 3P fix INV320...400 orizontal instalare - 1 x 4P fix INV320...400 orizontal instalare - 1 x 3P fix INV500...630 orizontal instalare - 1 x 4P fix INV500...630 orizontal instalare - 1 x 3P fix NSX400 orizontal instalare - 1 x 4P fix NSX400 orizontal instalare - 1 x 3P fix NSX630 orizontal instalare - 1 x 4P fix NSX630 orizontal instalare
installation description Carcasa de podea 850 mm - Floor-standing enclosure + duct 600 + 300 mm - Wall-mounted enclosure + duct 600 + 300 mm
numar de module verticale (50 mm) 9 moduleCVS400 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleCVS400 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleCVS400 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm floor-

standing enclosure + duct partea inferioara - 6 moduleCVS400 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleCVS400 fara protectie punere la pamant , direct with long terminal shield in 850 mm carcasa de podea sus - 6 moduleCVS400 fara protectie punere la pamant , direct with long terminal shield in 850 mm carcasa de podea partea inferioara - 9 moduleCVS630 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleCVS630 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleCVS630 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct partea inferioara - 6 moduleCVS630 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleCVS630 fara protectie punere la pamant , direct with long terminal shield in 850 mm carcasa de podea sus - 6 moduleCVS630 fara protectie punere la pamant , direct with long terminal shield in 850 mm carcasa de podea partea inferioara - 9 moduleEZC400, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleEZC400, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleEZC400, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct partea inferioara - 6 moduleEZC400, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleEZC630, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleEZC630, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleEZC630, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct partea inferioara - 6 moduleEZC630, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleINS320...400, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleINS320...400, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleINS320...400, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct partea inferioara - 6 moduleINS320...400, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleINS320...400, direct with long terminal shield in 850 mm carcasa de podea sus - 6 moduleINS320...400, direct with long terminal shield in 850 mm carcasa de podea partea inferioara - 9 moduleINS500...630, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleINS500...630, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleINS500...630, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct partea inferioara - 6 moduleINS500...630, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleINS500...630, direct with long terminal shield in 850 mm carcasa de podea sus - 6 moduleINS500...630, direct with long terminal shield in 850 mm carcasa de podea partea inferioara - 9 moduleINV320...400, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleINV320...400, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleINV320...400, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct partea inferioara - 6 moduleINV320...400, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleINV320...400, direct with long terminal shield in 850 mm carcasa de podea sus - 6 moduleINV320...400, direct with long terminal shield in 850 mm carcasa de podea partea inferioara - 9 moduleINV500...630, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleINV500...630, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleINV500...630, direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct partea inferioara - 6 moduleINV500...630, direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleINV500...630, direct with long terminal shield in 850 mm carcasa de podea sus - 6 moduleINV500...630, direct with long terminal shield in 850 mm carcasa de podea partea inferioara - 9 moduleNSX400 fara protectie punere la pamant , connection block in 850 mm carcasa de podea sus - 6 moduleNSX400 fara protectie punere la pamant , connection block in 850 mm carcasa de podea partea inferioara - 9 moduleNSX400 fara protectie punere la pamant , connection block in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleNSX400 fara protectie punere la pamant , connection block in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleNSX400 fara protectie punere la pamant , connection block in 600 + 300 mm floor-standing enclosure + duct partea inferioara - 6 moduleNSX400 fara protectie punere la pamant , connection block in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleNSX400 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleNSX400 fara protectie

punere la pamant , direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleNSX400 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct partea inferioara - 6 moduleNSX400 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleNSX400 fara protectie punere la pamant , direct with long terminal shield in 850 mm carcasa de podea sus - 6 moduleNSX400 fara protectie punere la pamant , direct with long terminal shield in 850 mm carcasa de podea partea inferioara - 9 moduleNSX630 fara protectie punere la pamant , connection block in 850 mm carcasa de podea sus - 6 moduleNSX630 fara protectie punere la pamant , connection block in 850 mm carcasa de podea partea inferioara - 9 moduleNSX630 fara protectie punere la pamant , connection block in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleNSX630 fara protectie punere la pamant , connection block in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleNSX630 fara protectie punere la pamant , connection block in 600 + 300 mm floor-standing enclosure + duct partea inferioara - 6 moduleNSX630 fara protectie punere la pamant , connection block in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleNSX630 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct sus - 9 moduleNSX630 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct sus - 6 moduleNSX630 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm floor-standing enclosure + duct partea inferioara - 6 moduleNSX630 fara protectie punere la pamant , direct with long terminal shield in 600 + 300 mm wall-mounted enclosure + duct partea inferioara - 9 moduleNSX630 fara protectie punere la pamant , direct with long terminal shield in 850 mm carcasa de podea sus - 6 moduleNSX630 fara protectie punere la pamant , direct with long terminal shield in 850 mm carcasa de podea partea inferioara
Condition of using cable tie Need additional plate (2 orizontal
inaltime 250 mm
latime 600 mm
greutate produs 2,24 kg
finisaj suprafata Smooth - Mat
tratament protector Tratare prin electroforeza si praf de poliester epoxidic, polimerizat puternic
culoare Alb (RAL 9001)
standarde IEC 61439-2
certificari produs ASEFA
Stare oferta sustenabila Produs Green Premium
Regulamentul REACH Declaratia REACH
Conform REACh fara SVHC Da
Directiva RoHS UE Not applicable, out of EU RoHS legal scope
Fara metale grele toxice Da
Fara mercur Da
Informatii privind scutirea de la RoHS Da
Regulamentul RoHS China Declaratia RoHS China Declaratia proactiva RoHS China (in afara domeniului de aplicare a RoHS China)
Raport de mediu Profilul ambiental al produsului
Profil circularitate Nu sunt necesare operatii de reciclare speciale
Garantie 18 months
Pret: 233,57 LEI (TVA inclus)

Detalii online: https://www.materialeelectrice.ro/prisma-plus-g-sistem-placa-de-mont-pt-nsx630-fix-orizontal-maner-101823