





<u>LEGRAND AUTOMATIC SWITCH NILOÉ - IR - 180° - RANGE 8 M - 2-WIRE CUOUT</u> <u>NEUTRAL - ALB</u>

Caracteristici tehnice

Automatic switches

IR detection

Detection field: 120° Detection range: 8 m

Time delay adjustable from 10 s to 10 min

Light level threshold adjustable from 5 to 1275 lux

2-wire, without neutral

Allow the control of:

3 to 100 W LED and compact fluorescent lamps

3 to 250 VA LED, CFL, halogen and fluorescent tubes with ferromagnetic or electronic ballast

3 to 250 W halogen (230 V) and incandescent lamps

If several sensors are installed on the same circuit, the minimum load changes: refer to the technical sheet

Possibility to install up to 3 sensors in parallel

Consum on standby: 0.02 W
To be used without override

White

Caracteristici generale

NiloeTM - automatic switches and dimmers

Mechanisms supplied with cover plates and support frames in flow-pack

To be equipped with plates

Screw terminals

Fixing with screws or claws (supplied)

Pret: 453,67 LEI (TVA inclus)

Detalii online: https://www.materialeelectrice.ro/automatic-switch-niloe-ir-1800-range-8-m-2-wire-cuout-

