

IEK TERMOCONTRACTIBIL PSTT 5X16/25 WITH PVC ISOLATION 1KV

PStt-1 heat-shrink sleeve is designed for connection of aluminum or copper conductors of cables with plastic, rubber and polyethylene insulation for voltage 1 kV: AVVG-1, VVG-1, AVVGz-1, VVGz-1, APvVG-1, PvVG -1, their equivalents and versions. The product's range is developed for 1-, 2-, 3-, 4- and 5-core cables.Use of high-quality two-layer heat-shrink materials with adhesive thermomelting coating on inner surfaces of external casing, tubes and multiple cable joints guarantees perfect tightness of the sleeve construction.
Wide range of products, with several versions of sleeve supply: without bushings, with bolted bushings having break-out heads, with compression bushings.Voltage row: EV004258
Model: EV004267
Number of conductors: 5
Nominal cross section conductor: 16...25
Suitable for: EV000154
Type of insulation material: IEK_V0000184
Installation Type: IEK_V0000187
Complete set: IEK_V0000195
Connector Type: IEK_V0000189
Nominal voltage: 1
Material: IEK_V0000193
Min full shrinkage temperature: 120
Operating temperature range: -45...+50
Shrink rate: EV009535
Pret: 186,99 LEI (TVA inclus)

Detalii online: https://www.materialeelectrice.ro/termocontractibil-pstt-5x16-25-with-pvc-isolation-1kv-310665