



BTICINO MATIX - PRIZA 2 MODULE UNIV D5 16A ALB

Descoper? matix - priz? 2 module univ d5 16A alb din categoria Prize, Intreruptoare & Doze - Doza modulara, un produs cu codul AM5025S. Acesta ofer? caracteristici excelente: Model Multi-standard socket

Concurrently switching neutral conductor No

Protective contact None

Number of active contacts (round) 1

Number of active contacts (flat) 1

Number of active contacts (square) 0

With complementary luminous signal No

Number of ports USB-A 0

Number of ports USB-C 0

Number of units 1

Number of modules (module system) 1

Number of socket outlets switchable 0

Number of phases 1

Imprint/indication None

Connection type Screwed terminal

With hinged lid No

With enhanced contact protection No

Label space/information surface No

Colour White

RAL-number (similar) 9001

Metallic colour No

Transparent No

Lockable No

Eject-mechanism No

Insulated mounting No

With function lighting No

With orientation lighting No
Over voltage protection No
Fault current protection No
With miniature fuse No
Special power supply No special power supply
Mounting method Flush-mounted
Type of fastening Snap mounting (engagement)
Material Plastic
Material quality Thermoplastic
Halogen free Yes
Surface protection Untreated
Surface finishing Glossy
Antimicrobial treatment No
With loop through function Yes
Number of loop throughs 1
With on/off switch No
Colour of switch operator White
Rotated central insert No
Nominal current 16 A
Nominal voltage 250 V
Frequency 50-60 Hz
Suitable for degree of protection (IP) IP20
Degree of impact strength (IK) IK04
Device width 23 mm
Device height 44 mm
Device depth 35.5 mm
Min. depth of built-in installation box 37 mm
Compatible with Apple HomeKit No
Compatible with Amazon Alexa No
Compatible with Google Assistant No
IFTTT support available No
With Wi-Fi signal repeater No
With built-in bluetooth speaker No
For heavy conditions according to VDE No
Compliant with UK Building Regulations Part M No
Built-in depth 27 mm
Operating / setting temperature -5-35 °C
Storage temperature -10-70 °C
Voltage type AC
Power Delivery No
Terminal marking indication No
Prewired No
Terminals capacity 1.5-2.5 mm²
Cable nature for connection Flexible or rigid
Cable section 1.5-2.5 mm²
Cable support Screw cable clamp
Assembly arrangement Basic element with central cover plate
Connected object No
Application store for download Not applicable
With voice command No
Programmable No
Interoperable connection Protocol No
Connectable by Internet box No
Product use function Energy distribution. Ideal pentru proiectele tale, asigurand eficienta si calitate

superioar?

Pret: 14,40 LEI (TVA inclus)

Detalii online: <https://www.materialeelectrice.ro/matix-priza-2-module-univ-d5-16a-alb>