

BTICINO MECANISM PENTRU ALIMENTAREA ELECTRICA A COMENZILOR SI ACTUATOARELOR PRIN INTERMEDIUL RAMEI ELECTRIFICATE

Descoper? Mecanism pentru alimentarea electrica a comenzilor si actuatoarelor prin intermediul ramei electrificate din categoria Casa inteligenta - Gestiune si control, un produs cu codul K8001. Acesta ofer? caracteristici excelente: Bus system KNX No
Bus system KNX-RF (Radio Frequent) No
Bus system radio frequent No
Bus system LON No
Bus system Powernet No
Other bus systems Other
Radio frequent bidirectional No
Mounting method Flush-mounted
Width in number of modular spacings 1
Local operation/hand operation No
With LED indication Yes
Number of digital inputs 0
Suitable for C-load No
Rated current 0 A
Rated operating voltage 25-27 V
Different phases connectable No
With bus connection Yes
Bus module detachable No
Min. depth of built-in installation box 40 mm
Modular expandability No
Degree of protection (IP) IP20
Width 22 mm
Height 45 mm
Depth 38 mm

Degree of impact strength (IK) Not applicable
Operating / setting temperature 5-40 °C
Storage temperature -10-70 °C
Voltage type DC
Terminal marking indication Yes
Type of load Not applicable
Halogen free No
Connection type Screwed terminal , Cable
Terminals capacity 2-2.5 mm²
Label space/information surface No
Fitted with USB plug No
Addressable Yes
Connected object No. Ideal pentru proiectele tale, asigurand eficien?? ?i calitate superioar?.
Pret: 150,88 LEI (TVA inclus)

Detalii online: https://www.materialeelectrice.ro/mecanism-pentru-alimentarea-electrica-a-comenzilor-si-actuatoarelor-prin-intermediul-ramei-electrificate