



SCHNEIDER FR.PL.3,4 NSX,CVS250 V.FIX TOG,ROT 5M

Gama: PrismaSeT

gama de produse: PrismaSeT G

PrismaSeT P

Tip produs sau componenta: Placa frontala

categorii accesorii / piese de schimb: Accesoriu de instalare

Compatibilitate gama: PrismaSeT (PrismaSeT G) cofret

PrismaSeT (PrismaSeT P) dulap

tip de placa frontala: Decupare

dispozitiv instalat: Compact fix NSX100...160 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact fix NSX250 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Easypact fix CVS100...160 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Easypact fix CVS100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Easypact fix CVS250 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Easypact fix CVS250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact fix NSX100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX100...160 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact conectare NSX100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX100...160 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact debrosabil NSX100...160 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX100...160 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact fix NSX100...160 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact fix NSX250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX250 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact conectare NSX250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX250 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact debrosabil NSX250 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX250 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact fix NSX250 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

descrierea polilor: 4 x 3P placa de montare suportCVS100...160 vertical instalare

3 x 4P placa de montare suportCVS100...160 vertical instalare

4 x 3P placa de montare suportCVS250 vertical instalare

3 x 4P placa de montare suportCVS250 vertical instalare

4 x 3P placa de montare suportNSX100...160 vertical instalare

3 x 4P placa de montare suportNSX100...160 vertical instalare

4 x 3P placa de montare suportNSX250 vertical instalare

3 x 4P placa de montare suportNSX250 vertical instalare

2 x 3P placa de montare suportNSX100...160 vertical instalare

2 x 4P placa de montare suportNSX100...160 vertical instalare

2 x 3P placa de montare suportNSX250 vertical instalare

2 x 4P placa de montare suportNSX250 vertical instalare

pozitie de operare: Vertical

descriere cofret/dulap: Carcasa de podea 600 mm

Cofret cu montaj pe perete 600 mm

Firida 650 mm 400 mm

pozitie de conectare: Linergy FC

Conexiune directa

numar de module verticale (50 mm): 5

standarde: IEC 61439-2

IEC 61439-1

certificari produs: ASTA

material: Otel

finisare suprafata: Mat

Texturat

tratament protector: Tratate prin electroforeza si praf de poliester epoxidic, polimerizat puternic

culoare: Alb (RAL 9003)

inaltime: 250 mm

latime: 500 mm

greutate neta: 0,82 kg

Cantitate pe set: Set de 1

Unitate functionala: 650 mm 400 mm PrismaSeT P firida Easypact CVS100...160 fara fix comutare vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P firida Easypact CVS100...160 fara fix comutare vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P firida Easypact CVS100...160 fara fix manerul rotativ frontal direct vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P firida Easypact CVS100...160 fara fix manerul rotativ frontal direct vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P firida Easypact CVS250 fara fix comutare vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P firida Easypact CVS250 fara fix comutare vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P firida Easypact CVS250 fara fix manerul rotativ frontal direct vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P firida Easypact CVS250 fara fix manerul rotativ frontal direct vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix comutare vertical 3P 4 Linergy FC 6

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix comutare vertical 4P 3 Linergy FC 6

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix comutare vertical 3P 4 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix comutare vertical 4P 3 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare manerul rotativ frontal direct vertical 3P 4 Linergy FC 7

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare mecanism motor vertical 3P 4 Linergy FC 7

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare manerul rotativ frontal direct vertical 4P 3 Linergy FC 7

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare mecanism motor vertical 4P 3 Linergy FC 7

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare comutare vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare comutare vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare manerul rotativ frontal direct vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare manerul rotativ frontal direct vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare mecanism motor vertical 3P 4 direct 9

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare mecanism motor vertical 4P 3 direct 9

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil comutare vertical 3P 2 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil comutare vertical 4P 2 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil manerul rotativ frontal direct vertical 3P 2 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil manerul rotativ frontal direct vertical 4P 2 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil mecanism motor vertical 3P 2 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil mecanism motor vertical 4P 2 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix manerul rotativ frontal direct vertical 3P 4 Linergy FC 6

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix mecanism motor vertical 3P 4 Linergy FC 6

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix manerul rotativ frontal direct vertical 4P 3 Linergy FC 6

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix mecanism motor vertical 4P 3 Linergy FC 6

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix manerul rotativ frontal direct vertical 3P 4 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix manerul rotativ frontal direct vertical 4P 3 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix mecanism motor vertical 3P 4 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix mecanism motor vertical 4P 3 direct 8

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare comutare vertical 3P 4 Linergy FC 7

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare comutare vertical 4P 3 Linergy FC 7

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix comutare vertical 3P 4 Linergy FC 7
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix comutare vertical 4P 3 Linergy FC 7
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix comutare vertical 3P 4 direct 9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix comutare vertical 4P 3 direct 9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare manerul rotativ frontal direct vertical
3P 4 Linergy FC 8
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare mecanism motor vertical 3P 4 Linergy
FC 8
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare manerul rotativ frontal direct vertical
4P 3 Linergy FC 8
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare mecanism motor vertical 4P 3 Linergy
FC 8
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare comutare vertical 3P 4 direct 10
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare comutare vertical 4P 3 direct 10
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare manerul rotativ frontal direct vertical
3P 4 direct 10
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare manerul rotativ frontal direct vertical
4P 3 direct 10
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare mecanism motor vertical 3P 4 direct
10
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare mecanism motor vertical 4P 3 direct
10
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil comutare vertical 3P 2 direct 9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil comutare vertical 4P 2 direct 9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil manerul rotativ frontal direct vertical
3P 2 direct 9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil manerul rotativ frontal direct vertical
4P 2 direct 9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil mecanism motor vertical 3P 2 direct
9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil mecanism motor vertical 4P 2 direct
9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix manerul rotativ frontal direct vertical 3P 4
Linergy FC 7
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix mecanism motor vertical 3P 4 Linergy FC 7
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix manerul rotativ frontal direct vertical 4P 3
Linergy FC 7
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix mecanism motor vertical 4P 3 Linergy FC 7
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix manerul rotativ frontal direct vertical 3P 4
direct 9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix manerul rotativ frontal direct vertical 4P 3
direct 9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix mecanism motor vertical 3P 4 direct 9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix mecanism motor vertical 4P 3 direct 9
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare comutare vertical 3P 4 Linergy FC 8
650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare comutare vertical 4P 3 Linergy FC 8
600 mm PrismaSeT G carcasa de podea Easypact CVS100...160 fara fix comutare vertical 3P 4 direct cu
ecran terminal 9
600 mm PrismaSeT G cofret cu montaj pe perete Easypact CVS100...160 fara fix comutare vertical 3P 4
direct cu ecran terminal 9
600 mm PrismaSeT G carcasa de podea Easypact CVS100...160 fara fix comutare vertical 4P 3 direct cu
ecran terminal 9
600 mm PrismaSeT G cofret cu montaj pe perete Easypact CVS100...160 fara fix comutare vertical 4P 3
direct cu ecran terminal 9

600 mm PrismaSeT G cofret cu montaj pe perete Compact NSX250 fara fix manerul rotativ frontal direct vertical 4P 3 direct cu ecran terminal 11

Pret: 143,41 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/fr-pl-3-4-nsx-cvs250-v-fix-tog-rot-5m>