



SCHNEIDER PLACA FRONTALA NSX, CVS630 V.TOG, ROT, PLUG W600 9M

Gama: PrismaSeT

gama de produse: PrismaSeT G

PrismaSeT P

Tip produs sau componenta: Placa frontala

categorii accesorii / piese de schimb: Accesoriu de instalare

Compatibilitate gama: PrismaSeT (PrismaSeT G) cofret

PrismaSeT (PrismaSeT P) dulap

tip de placa frontala: Decupare

dispozitiv instalat: Compact fix NSX400 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Easypact fix CVS400 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Easypact fix CVS630 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact fix NSX400 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX400 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact fix NSX400 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact conectare NSX400 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX400 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact debrosabil NSX400 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX400 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX400 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact fix NSX630 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact fix NSX630 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

instalare

Compact conectare NSX630 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact fix NSX630 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact conectare NSX630 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX630 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact debrosabil NSX630 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX630 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX630 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

descrierea polilor: 1 x 4P placa de montare suportNSX400 vertical instalare

1 x 3P placa de montare suportCVS400 vertical instalare

1 x 4P placa de montare suportCVS400 vertical instalare

1 x 3P placa de montare suportCVS630 vertical instalare

1 x 4P placa de montare suportCVS630 vertical instalare

1 x 3P placa de montare suportNSX400 vertical instalare

1 x 3P placa de montare suportNSX630 vertical instalare

1 x 4P placa de montare suportNSX630 vertical instalare

pozitie de operare: Vertical

descriere cofret/dulap: Carcasa de podea 600 mm

Cofret cu montaj pe perete 600 mm

Firida 650 mm 400 mm

pozitie de conectare: Linergy FC

Conexiune directa

numar de module verticale (50 mm): 9

standarde: IEC 61439-1

IEC 61439-2

certificari produs: ASTA

material: Otel

finisare suprafata: Mat

Texturat

tratament protector: Tratare prin electroforeza si praf de poliester epoxidic, polimerizat puternic

culoare: Alb (RAL 9003)

inaltime: 450 mm

latime: 500 mm

greutate neta: 1,72 kg

Cantitate pe set: Set de 1

Unitate functionala: 600 mm PrismaSeT G carcasa de podea Compact NSX400 fara fix comutare vertical 4P 1 direct

600 mm PrismaSeT G cofret cu montaj pe perete Compact NSX400 fara fix comutare vertical 4P 1 direct

650 mm 400 mm PrismaSeT P firida Easypact CVS400 fara fix manerul rotativ frontal direct vertical 3P 1 direct 13

650 mm 400 mm PrismaSeT P firida Easypact CVS400 fara fix manerul rotativ frontal direct vertical 4P 1 direct 13

650 mm 400 mm PrismaSeT P firida Easypact CVS630 fara fix manerul rotativ frontal direct vertical 3P 1 direct 13

650 mm 400 mm PrismaSeT P firida Easypact CVS630 fara fix manerul rotativ frontal direct vertical 4P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix comutare vertical 3P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix comutare vertical 4P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare comutare vertical 3P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare comutare vertical 4P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix manerul rotativ frontal direct vertical 3P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix manerul rotativ frontal direct vertical 4P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix mecanism motor vertical 3P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix mecanism motor vertical 4P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare manerul rotativ frontal direct vertical 3P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare manerul rotativ frontal direct vertical 4P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare mecanism motor vertical 3P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare mecanism motor vertical 4P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil comutare vertical 3P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil comutare vertical 4P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil manerul rotativ frontal direct vertical 3P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil manerul rotativ frontal direct vertical 4P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil mecanism motor vertical 3P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil mecanism motor vertical 4P 1 direct 11

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix comutare vertical 3P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix comutare vertical 4P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare comutare vertical 3P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare comutare vertical 4P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix manerul rotativ frontal direct vertical 3P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix manerul rotativ frontal direct vertical 4P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix mecanism motor vertical 3P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix mecanism motor vertical 4P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare manerul rotativ frontal direct vertical 3P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare manerul rotativ frontal direct vertical 4P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare mecanism motor vertical 3P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare mecanism motor vertical 4P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil comutare vertical 3P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil comutare vertical 4P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil manerul rotativ frontal direct vertical 3P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil manerul rotativ frontal direct vertical 4P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil mecanism motor vertical 3P 1 direct 13

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil mecanism motor vertical 4P 1 direct 13

600 mm PrismaSeT G carcasa de podea Easypact CVS400 fara fix manerul rotativ frontal direct vertical 3P 1 direct cu ecran terminal 15

600 mm PrismaSeT G cofret cu montaj pe perete Easypact CVS400 fara fix manerul rotativ frontal direct vertical 3P 1 direct cu ecran terminal 15

600 mm PrismaSeT G carcasa de podea Easypact CVS400 fara fix manerul rotativ frontal direct vertical 4P 1 direct cu ecran terminal 15

600 mm PrismaSeT G cofret cu montaj pe perete Easypact CVS400 fara fix manerul rotativ frontal direct vertical 4P 1 direct cu ecran terminal 15

600 mm PrismaSeT G carcasa de podea Easypact CVS630 fara fix manerul rotativ frontal direct vertical 3P 1 direct cu ecran terminal 15

600 mm PrismaSeT G cofret cu montaj pe perete Easypact CVS630 fara fix manerul rotativ frontal direct vertical 3P 1 direct cu ecran terminal 15

600 mm PrismaSeT G carcasa de podea Easypact CVS630 fara fix manerul rotativ frontal direct vertical 4P 1 direct cu ecran terminal 15

600 mm PrismaSeT G cofret cu montaj pe perete Easypact CVS630 fara fix manerul rotativ frontal direct vertical 4P 1 direct cu ecran terminal 15

600 mm PrismaSeT G carcasa de podea Compact NSX400 fara fix comutare vertical 3P 1 direct cu ecran terminal 12

600 mm PrismaSeT G cofret cu montaj pe perete Compact NSX400 fara fix comutare vertical 3P 1 direct cu ecran terminal 12

600 mm PrismaSeT G carcasa de podea Compact NSX400 fara fix comutare vertical 4P 1 direct cu ecran terminal 12

600 mm PrismaSeT G cofret cu montaj pe perete Compact NSX400 fara fix comutare vertical 4P 1 direct cu ecran terminal 12

600 mm PrismaSeT G carcasa de podea Compact NSX400 fara fix manerul rotativ frontal direct vertical 3P 1 direct cu ecran terminal 15

600 mm PrismaSeT G cofret cu montaj pe perete Compact NSX400 fara fix manerul rotativ frontal direct vertical 3P 1 direct cu ecran terminal 15

600 mm PrismaSeT G carcasa de podea Compact NSX400 fara fix manerul rotativ frontal direct vertical 4P 1 direct cu ecran terminal 15

600 mm PrismaSeT G cofret cu montaj pe perete Compact NSX400 fara fix manerul rotativ frontal direct vertical 4P 1 direct cu ecran terminal 15

600 mm PrismaSeT G carcasa de podea Compact NSX630 fara fix comutare vertical 3P 1 direct cu ecran terminal 13

600 mm PrismaSeT G cofret cu montaj pe perete Compact NSX630 fara fix comutare vertical 3P 1 direct cu ecran terminal 13

600 mm PrismaSeT G carcasa de podea Compact NSX630 fara fix comutare vertical 4P 1 direct cu ecran terminal 13

600 mm PrismaSeT G cofret cu montaj pe perete Compact NSX630 fara fix comutare vertical 4P 1 direct cu ecran terminal 13

600 mm PrismaSeT G carcasa de podea Compact NSX630 fara fix manerul rotativ frontal direct vertical 3P 1 direct cu ecran terminal 15

600 mm PrismaSeT G cofret cu montaj pe perete Compact NSX630 fara fix manerul rotativ frontal direct vertical 3P 1 direct cu ecran terminal 15

600 mm PrismaSeT G carcasa de podea Compact NSX630 fara fix manerul rotativ frontal direct vertical 4P 1 direct cu ecran terminal 15

600 mm PrismaSeT G cofret cu montaj pe perete Compact NSX630 fara fix manerul rotativ frontal direct vertical 4P 1 direct cu ecran terminal 15

Pret: 218,23 LEI (TVA inclus)

Detalii online: <https://www.materialeelectrice.ro/placa-frontala-nsx-cvs630-v-tog-rot-plug-w600-9m>