



SCHNEIDER PLACA FRONTALA NS, MTZ1, NT

Gama: PrismaSeT

gama de produse: PrismaSeT P

Tip produs sau componenta: Placa frontala

categorii accesorii / piese de schimb: Accesoriu de instalare

Compatibilitate gama: PrismaSeT (PrismaSeT P) dulap

tip de placa frontala: Decupare

dispozitiv instalat: Compact debrosabil NS1250 - comand?: comutare - vertical instalare

Compact debrosabil NS1250 - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NS1250 - comand?: mecanism motor - vertical instalare

Compact debrosabil NS1600 - comand?: comutare - vertical instalare

Compact debrosabil NS1600 - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NS1600 - comand?: mecanism motor - vertical instalare

Compact debrosabil NS630b...1000 - comand?: comutare - vertical instalare

Compact debrosabil NS630b...1000 - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NS630b...1000 - comand?: mecanism motor - vertical instalare

Masterpact debrosabil NT06...10 - comand?: comutare - vertical instalare

Masterpact debrosabil NT06...10 - comand?: mecanism motor - vertical instalare

Masterpact debrosabil NT12 - comand?: comutare - vertical instalare

Masterpact debrosabil NT12 - comand?: mecanism motor - vertical instalare

Masterpact debrosabil NT16 - comand?: comutare - vertical instalare

Masterpact debrosabil NT16 - comand?: mecanism motor - vertical instalare

descrierea polilor: 1 x 3P placa de montare suportNS1250 vertical instalare

1 x 4P placa de montare suportNS1250 vertical instalare

1 x 3P placa de montare suportNS1600 vertical instalare

1 x 4P placa de montare suportNS1600 vertical instalare

1 x 3P placa de montare suportNS630b...1000 vertical instalare

1 x 4P placa de montare suportNS630b...1000 vertical instalare

1 x 3P placa de montare suportNT06...10 vertical instalare
1 x 4P placa de montare suportNT06...10 vertical instalare
1 x 3P placa de montare suportNT12 vertical instalare
1 x 4P placa de montare suportNT12 vertical instalare
1 x 3P placa de montare suportNT16 vertical instalare
1 x 4P placa de montare suportNT16 vertical instalare

pozitie de operare: Vertical

Orizontal

descriere cofret/dulap: Firida 650 mm 400 mm

Firida 650 mm 800 mm

pozitie de conectare: Conexiune frontala

Conexiune posterioara

numar de module verticale (50 mm): 8

standarde: IEC 61439-2

IEC 61439-1

certificari produs: ASTA

material: Otel

finisare suprafata: Mat

Texturat

tratament protector: Tratare prin electroforeza si praf de poliester epoxidic, polimerizat puternic

culoare: Alb (RAL 9003)

inaltime: 400 mm

latime: 500 mm

greutate neta: 1,8 kg

Cantitate pe set: Set de 1

Unitate functionala: 650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil comutare vertical 3P

1 conexiune frontala pe Canalis 18

650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil manerul rotativ frontal direct vertical 3P 1

conexiune frontala pe Canalis 18

650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil mecanism motor vertical 3P 1 conexiune

frontala pe Canalis 18

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil comutare vertical 3P 1 conexiune spate pe

Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil manerul rotativ frontal direct vertical 3P 1

conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil mecanism motor vertical 3P 1 conexiune

spate pe Canalis 16

650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil comutare vertical 3P 1 conexiune frontala

pe adaptor 15

650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil manerul rotativ frontal direct vertical 3P 1

conexiune frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil mecanism motor vertical 3P 1 conexiune

frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil comutare vertical 4P 1 conexiune frontala

pe Canalis 18

650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil manerul rotativ frontal direct vertical 4P 1

conexiune frontala pe Canalis 18

650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil mecanism motor vertical 4P 1 conexiune

frontala pe Canalis 18

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil comutare vertical 4P 1 conexiune spate pe

Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil manerul rotativ frontal direct vertical 4P 1

conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil mecanism motor vertical 4P 1 conexiune

spate pe Canalis 16

650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil comutare vertical 4P 1 conexiune frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil manerul rotativ frontal direct vertical 4P 1 conexiune frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Compact NS1250 debrosabil mecanism motor vertical 4P 1 conexiune frontala pe adaptor 15

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil comutare vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil comutare vertical 4P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil manerul rotativ frontal direct vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil manerul rotativ frontal direct vertical 4P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil mecanism motor vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS1250 debrosabil mecanism motor vertical 4P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil comutare vertical 3P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil manerul rotativ frontal direct vertical 3P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil mecanism motor vertical 3P 1 conexiune spate pe Canalis 16

650 mm 400 mm PrismaSeT P firida Compact NS1600 debrosabil comutare vertical 3P 1 conexiune frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Compact NS1600 debrosabil manerul rotativ frontal direct vertical 3P 1 conexiune frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Compact NS1600 debrosabil mecanism motor vertical 3P 1 conexiune frontala pe adaptor 15

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil comutare vertical 4P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil manerul rotativ frontal direct vertical 4P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil mecanism motor vertical 4P 1 conexiune spate pe Canalis 16

650 mm 400 mm PrismaSeT P firida Compact NS1600 debrosabil comutare vertical 4P 1 conexiune frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Compact NS1600 debrosabil manerul rotativ frontal direct vertical 4P 1 conexiune frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Compact NS1600 debrosabil mecanism motor vertical 4P 1 conexiune frontala pe adaptor 15

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil comutare vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil comutare vertical 4P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil manerul rotativ frontal direct vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil manerul rotativ frontal direct vertical 4P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil mecanism motor vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS1600 debrosabil mecanism motor vertical 4P 1 conexiune

spate pe adaptor 11

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil comutare vertical 3P 1 conexiune frontala pe Canalis 18

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil manerul rotativ frontal direct vertical 3P 1 conexiune frontala pe Canalis 18

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil mecanism motor vertical 3P 1 conexiune frontala pe Canalis 18

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil comutare vertical 3P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil manerul rotativ frontal direct vertical 3P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil mecanism motor vertical 3P 1 conexiune spate pe Canalis 16

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil comutare vertical 3P 1 conexiune frontala pe adaptor 13

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil manerul rotativ frontal direct vertical 3P 1 conexiune frontala pe adaptor 13

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil mecanism motor vertical 3P 1 conexiune frontala pe adaptor 13

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil comutare vertical 4P 1 conexiune frontala pe Canalis 18

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil manerul rotativ frontal direct vertical 4P 1 conexiune frontala pe Canalis 18

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil mecanism motor vertical 4P 1 conexiune frontala pe Canalis 18

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil comutare vertical 4P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil manerul rotativ frontal direct vertical 4P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil mecanism motor vertical 4P 1 conexiune spate pe Canalis 16

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil comutare vertical 4P 1 conexiune frontala pe adaptor 13

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil manerul rotativ frontal direct vertical 4P 1 conexiune frontala pe adaptor 13

650 mm 400 mm PrismaSeT P firida Compact NS630b...1000 debrosabil mecanism motor vertical 4P 1 conexiune frontala pe adaptor 13

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil comutare vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil comutare vertical 4P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil manerul rotativ frontal direct vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil manerul rotativ frontal direct vertical 4P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil mecanism motor vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Compact NS630b...1000 debrosabil mecanism motor vertical 4P 1 conexiune spate pe adaptor 11

650 mm 400 mm PrismaSeT P firida Masterpact NT06...10 debrosabil comutare vertical 3P 1 conexiune frontala pe adaptor 13

650 mm 400 mm PrismaSeT P firida Masterpact NT06...10 debrosabil mecanism motor vertical 3P 1 conexiune frontala pe adaptor 13

650 mm 800 mm PrismaSeT P firida Masterpact NT06...10 debrosabil comutare vertical 3P 1 conexiune

spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Masterpact NT06...10 debrosabil mecanism motor vertical 3P 1

conexiune spate pe adaptor 11

650 mm 400 mm PrismaSeT P firida Masterpact NT06...10 debrosabil comutare vertical 3P 1 conexiune frontala pe Canalis 18

650 mm 400 mm PrismaSeT P firida Masterpact NT06...10 debrosabil mecanism motor vertical 3P 1

conexiune frontala pe Canalis 18

650 mm 800 mm PrismaSeT P firida Masterpact NT06...10 debrosabil comutare vertical 3P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Masterpact NT06...10 debrosabil mecanism motor vertical 3P 1 conexiune spate pe Canalis 16

650 mm 400 mm PrismaSeT P firida Masterpact NT06...10 debrosabil comutare vertical 4P 1 conexiune frontala pe adaptor 13

650 mm 400 mm PrismaSeT P firida Masterpact NT06...10 debrosabil mecanism motor vertical 4P 1 conexiune frontala pe adaptor 13

650 mm 800 mm PrismaSeT P firida Masterpact NT06...10 debrosabil comutare vertical 4P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Masterpact NT06...10 debrosabil mecanism motor vertical 4P 1 conexiune spate pe adaptor 11

650 mm 400 mm PrismaSeT P firida Masterpact NT06...10 debrosabil comutare vertical 4P 1 conexiune frontala pe Canalis 18

650 mm 400 mm PrismaSeT P firida Masterpact NT06...10 debrosabil mecanism motor vertical 4P 1 conexiune frontala pe Canalis 18

650 mm 800 mm PrismaSeT P firida Masterpact NT06...10 debrosabil comutare vertical 4P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Masterpact NT06...10 debrosabil mecanism motor vertical 4P 1 conexiune spate pe Canalis 16

650 mm 400 mm PrismaSeT P firida Masterpact NT12 debrosabil comutare vertical 3P 1 conexiune frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Masterpact NT12 debrosabil mecanism motor vertical 3P 1 conexiune frontala pe adaptor 15

650 mm 800 mm PrismaSeT P firida Masterpact NT12 debrosabil comutare vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Masterpact NT12 debrosabil mecanism motor vertical 3P 1 conexiune spate pe adaptor 11

650 mm 400 mm PrismaSeT P firida Masterpact NT12 debrosabil comutare vertical 3P 1 conexiune frontala pe Canalis 18

650 mm 400 mm PrismaSeT P firida Masterpact NT12 debrosabil mecanism motor vertical 3P 1 conexiune frontala pe Canalis 18

650 mm 800 mm PrismaSeT P firida Masterpact NT12 debrosabil comutare vertical 3P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Masterpact NT12 debrosabil mecanism motor vertical 3P 1 conexiune spate pe Canalis 16

650 mm 400 mm PrismaSeT P firida Masterpact NT12 debrosabil comutare vertical 4P 1 conexiune frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Masterpact NT12 debrosabil mecanism motor vertical 4P 1 conexiune frontala pe adaptor 15

650 mm 800 mm PrismaSeT P firida Masterpact NT12 debrosabil comutare vertical 4P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Masterpact NT12 debrosabil mecanism motor vertical 4P 1 conexiune spate pe adaptor 11

650 mm 400 mm PrismaSeT P firida Masterpact NT12 debrosabil comutare vertical 4P 1 conexiune frontala pe Canalis 18

650 mm 400 mm PrismaSeT P firida Masterpact NT12 debrosabil mecanism motor vertical 4P 1 conexiune

frontala pe Canalis 18

650 mm 800 mm PrismaSeT P firida Masterpact NT12 debrosabil comutare vertical 4P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Masterpact NT12 debrosabil mecanism motor vertical 4P 1 conexiune spate pe Canalis 16

650 mm 400 mm PrismaSeT P firida Masterpact NT16 debrosabil comutare vertical 3P 1 conexiune frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Masterpact NT16 debrosabil mecanism motor vertical 3P 1 conexiune frontala pe adaptor 15

650 mm 800 mm PrismaSeT P firida Masterpact NT16 debrosabil comutare vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Masterpact NT16 debrosabil mecanism motor vertical 3P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Masterpact NT16 debrosabil comutare vertical 3P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Masterpact NT16 debrosabil mecanism motor vertical 3P 1 conexiune spate pe Canalis 16

650 mm 400 mm PrismaSeT P firida Masterpact NT16 debrosabil comutare vertical 4P 1 conexiune frontala pe adaptor 15

650 mm 400 mm PrismaSeT P firida Masterpact NT16 debrosabil mecanism motor vertical 4P 1 conexiune frontala pe adaptor 15

650 mm 800 mm PrismaSeT P firida Masterpact NT16 debrosabil comutare vertical 4P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Masterpact NT16 debrosabil mecanism motor vertical 4P 1 conexiune spate pe adaptor 11

650 mm 800 mm PrismaSeT P firida Masterpact NT16 debrosabil comutare vertical 4P 1 conexiune spate pe Canalis 16

650 mm 800 mm PrismaSeT P firida Masterpact NT16 debrosabil mecanism motor vertical 4P 1 conexiune spate pe Canalis 16

Pret: 292,91 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/placa-frontala-ns-mtz1-nt>