



## **SCHNEIDER PLACA DE MONTAJ VIGI NSX/CVS PLUGIN ORIZONTALA, 3P 250A** **LATIME 650**

Gama: PrismaSeT

gama de produse: PrismaSeT P

Tip produs sau componenta: Placa de montare

categorii accesorii / piese de schimb: Accesoriu de instalare

Compatibilitate gama: PrismaSeT (PrismaSeT P) dulap

Descrierea instalatiei: Firida 650 mm 400 mm

dispozitiv instalat: Easypact fix CVS100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Easypact fix CVS250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact fix NSX100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact fix NSX250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Easypact fix CVS100...160 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Easypact fix CVS250 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact fix NSX100...160 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact fix NSX250 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact fix NSX100...160 fara protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

Compact conectare NSX100...160 fara protec?ie punere la p?mant - comand?: comutare - orizontal instalare

Compact fix NSX250 fara protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

Compact conectare NSX250 fara protec?ie punere la p?mant - comand?: comutare - orizontal instalare

Compact conectare NSX100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact conectare NSX100...160 fara protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

Compact conectare NSX250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact conectare NSX250 fara protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

Compact conectare NSX100...160 cu protec?ie punere la p?mant - comand?: comutare - orizontal instalare

Compact fix NSX100...160 cu protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

Compact conectare NSX100...160 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact conectare NSX100...160 cu protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

Compact conectare NSX250 cu protec?ie punere la p?mant - comand?: comutare - orizontal instalare

Compact fix NSX250 cu protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

Compact conectare NSX250 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact conectare NSX250 cu protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

descrierea polilor: 1 x 3P fix CVS100...160 orizontal instalare

1 x 3P fix CVS250 orizontal instalare

1 x 3P fix NSX100...160 orizontal instalare

1 x 3P fix NSX250 orizontal instalare

1 x 3P conectare NSX100...160 orizontal instalare

1 x 3P conectare NSX250 orizontal instalare

numar de module verticale (50 mm): 3 module CVS100...160 fara protec?ie punere la p?mant , direct in 650 mm firida

3 module CVS250 fara protec?ie punere la p?mant , direct in 650 mm firida

3 module NSX100...160 fara protec?ie punere la p?mant , direct in 650 mm firida

3 module NSX250 fara protec?ie punere la p?mant , direct in 650 mm firida

3 module CVS100...160 cu protec?ie punere la p?mant , direct in 650 mm firida

3 module CVS250 cu protec?ie punere la p?mant , direct in 650 mm firida

3 module NSX100...160 cu protec?ie punere la p?mant , direct in 650 mm firida

3 module NSX250 cu protec?ie punere la p?mant , direct in 650 mm firida

standarde: IEC 61439-2

certificari produs: ASTA

material: Tabla de otel

tratament protector: Tratare prin electroforeza si praf de poliester epoxidic, polimerizat puternic

finisare suprafata: Texturat

Mat

culoare: Alb (RAL 9003)

latime: 650 mm

inaltime: 200 mm

greutate neta: 2,015 kg

Unitate functionala: 650 mm 400 mm PrismaSeT P firida Easypact CVS100...160 fara fix manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS250 fara fix manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix mecanism motor orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare mecanism motor orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare comutare orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix mecanism motor orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare mecanism motor orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare comutare orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS100...160 cu fix manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS250 cu fix manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu fix manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu fix mecanism motor orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu conectare manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu conectare mecanism motor orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu conectare comutare orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu fix manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu fix mecanism motor orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare manerul rotativ frontal direct orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare mecanism motor orizontal 3P 1 direct 3 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare comutare orizontal 3P 1 direct 3 12,5 mm

Pret: 258,30 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/placa-de-montaj-vigi-nsx-cvs-plugin-orizontala-3p-250a-latime-650>