



## **SCHNEIDER CONEXIUNE 250 A PENTRU NSX-INS-INV 3P ORIZONTAL FIX, PLUGIN**

Gama: PrismaSeT

gama de produse: PrismaSeT P

Tip produs sau componenta: Conexiune

numele produsului: PrismaSeT (PrismaSeT P) cofret

categorii accesorii / piese de schimb: Accesoriu de conectare

standarde: IEC 61439-2, interiorul carcasei

IEC 61439-1, interiorul carcasei

certificari produs: ASTA

conectare aparat din dulap: pod de bare Linergy

descriere poli: 3P

Descrierea instalatiei: Firida 650 mm

dispozitiv instalat: Compact fix INS250 - comand?: manerul rotativ frontal direct orizontal instalare

Compact fix INS250 - comand?: manerul rotativ frontal direct vertical instalare

Compact fix INV250 - comand?: manerul rotativ frontal direct orizontal instalare

Compact fix INV250 - comand?: manerul rotativ frontal direct vertical instalare

Compact fix NSX100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact fix NSX250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact fix NSX100...160 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact fix NSX250 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact fix NSX100...160 fara protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

Compact fix NSX250 fara protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

Compact debrosabil NSX100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact debrosabil NSX250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact debrosabil NSX100...160 fara protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

Compact debrosabil NSX250 fara protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

Compact conectare NSX100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact conectare NSX250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact conectare NSX100...160 fara protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

Compact conectare NSX250 fara protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

Compact fix NSX100...160 cu protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

Compact fix NSX250 cu protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

Compact debrosabil NSX100...160 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact debrosabil NSX250 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact debrosabil NSX100...160 cu protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

Compact debrosabil NSX250 cu protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

Compact conectare NSX100...160 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact conectare NSX250 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct orizontal instalare

Compact conectare NSX100...160 cu protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

Compact conectare NSX250 cu protec?ie punere la p?mant - comand?: mecanism motor orizontal instalare

[Ie] curent nominal de utilizare: 250 A

sectiune transversala a barei: 20 x 3 mm

greutate neta: 1,24 kg

Cantitate pe set: Set de 1

Unitate functionala: 650 mm 400 mm PrismaSeT P firida Compact INS250 fix manerul rotativ frontal direct orizontal 3P 1 direct 4

650 mm 400 mm PrismaSeT P firida Compact INS250 fix manerul rotativ frontal direct vertical 3P 1 Linergy FC 7

650 mm 400 mm PrismaSeT P firida Compact INS250 fix manerul rotativ frontal direct vertical 3P 3 Linergy FC 7

650 mm 400 mm PrismaSeT P firida Compact INV250 fix manerul rotativ frontal direct orizontal 3P 1 direct 4

650 mm 400 mm PrismaSeT P firida Compact INV250 fix manerul rotativ frontal direct vertical 3P 1 Linergy FC 7

650 mm 400 mm PrismaSeT P firida Compact INV250 fix manerul rotativ frontal direct vertical 3P 3 Linergy FC 7

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix manerul rotativ frontal direct orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara fix mecanism motor orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare manerul rotativ frontal direct orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare mecanism motor orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil manerul rotativ frontal direct orizontal 3P 1 direct 5

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil mecanism motor orizontal 3P 1

direct 5

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix manerul rotativ frontal direct orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara fix mecanism motor orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare manerul rotativ frontal direct orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare mecanism motor orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil manerul rotativ frontal direct orizontal 3P 1 direct 5

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil mecanism motor orizontal 3P 1 direct 5

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu fix manerul rotativ frontal direct orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu fix mecanism motor orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu conectare manerul rotativ frontal direct orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu conectare mecanism motor orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil manerul rotativ frontal direct orizontal 3P 1 direct 5

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil mecanism motor orizontal 3P 1 direct 5

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu fix manerul rotativ frontal direct orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu fix mecanism motor orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare manerul rotativ frontal direct orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare mecanism motor orizontal 3P 1 direct 3

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu debrosabil manerul rotativ frontal direct orizontal 3P 1 direct 5

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu debrosabil mecanism motor orizontal 3P 1 direct 5

Pret: 516,59 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/conexiune-250-a-pentru-nsx-ins-inv-3p-orizontal-fix-plugin>