



## **SCHNEIDER PLACA DE MONTAJ 2 NSX/CVS/INS FIX/PLUGIN TOGGLE/ROT/MOT - 3P/4P 630A VERTICALA W650**

Gama: PrismaSeT

gama de produse: PrismaSeT P

Tip produs sau componenta: Placa de montare

categorii accesorii / piese de schimb: Accesoriu de instalare

Compatibilitate gama: PrismaSeT (PrismaSeT P) dulap

Descrierea instalatiei: Firida 650 mm 400 mm

dispozitiv instalat: Easypact fix CVS400 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Easypact fix CVS630 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Easypact fix EZC400 - comand?: comutare - vertical instalare

Easypact fix EZC630 - comand?: comutare - vertical instalare

Compact fix INS320...400 - comand?: manerul rotativ frontal direct - vertical instalare

Compact fix INS500...630 - comand?: manerul rotativ frontal direct - vertical instalare

Compact fix INV320...400 - comand?: manerul rotativ frontal direct - vertical instalare

Compact fix INV500...630 - comand?: manerul rotativ frontal direct - vertical instalare

Compact fix NSX400 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact fix NSX630 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Easypact fix CVS400 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Easypact fix CVS630 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact fix NSX400 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact fix NSX630 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Easypact fix CVS400 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Easypact fix CVS630 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact fix NSX400 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical

instalare

Compact fix NSX630 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Easypact fix CVS400 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Easypact fix CVS630 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact fix NSX400 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact fix NSX630 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX400 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact fix NSX400 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact conectare NSX400 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX400 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact debrosabil NSX400 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX400 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX400 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact conectare NSX630 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact fix NSX630 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact conectare NSX630 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX630 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact debrosabil NSX630 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX630 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX630 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact conectare NSX400 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact conectare NSX400 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX400 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX400 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX400 cu protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact conectare NSX630 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact conectare NSX630 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX630 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX630 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX630 cu protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

descrierea polilor: 1 x 3P fix CVS400 vertical instalare

1 x 4P fix CVS400 vertical instalare

1 x 3P fix CVS630 vertical instalare

1 x 4P fix CVS630 vertical instalare

1 x 3P fix EZC400 vertical instalare

1 x 4P fix EZC400 vertical instalare

1 x 3P fix EZC630 vertical instalare

1 x 4P fix EZC630 vertical instalare

1 x 3P fix INS320...400 vertical instalare

1 x 4P fix INS320...400 vertical instalare

1 x 3P fix INS500...630 vertical instalare

1 x 4P fix INS500...630 vertical instalare  
1 x 3P fix INV320...400 vertical instalare  
1 x 4P fix INV320...400 vertical instalare  
1 x 3P fix INV500...630 vertical instalare  
1 x 4P fix INV500...630 vertical instalare  
1 x 3P fix NSX400 vertical instalare  
1 x 4P fix NSX400 vertical instalare  
1 x 3P fix NSX630 vertical instalare  
1 x 4P fix NSX630 vertical instalare  
1 x 3P conectare NSX400 vertical instalare  
1 x 4P conectare NSX400 vertical instalare  
1 x 3P debrosabil NSX400 vertical instalare  
1 x 4P debrosabil NSX400 vertical instalare  
2 x 3P fix NSX400 vertical instalare  
2 x 4P fix NSX400 vertical instalare  
2 x 3P conectare NSX400 vertical instalare  
2 x 4P conectare NSX400 vertical instalare  
2 x 3P debrosabil NSX400 vertical instalare  
2 x 4P debrosabil NSX400 vertical instalare  
1 x 3P conectare NSX630 vertical instalare  
1 x 4P conectare NSX630 vertical instalare  
1 x 3P debrosabil NSX630 vertical instalare  
1 x 4P debrosabil NSX630 vertical instalare  
2 x 3P fix NSX630 vertical instalare  
2 x 4P fix NSX630 vertical instalare  
2 x 3P conectare NSX630 vertical instalare  
2 x 4P conectare NSX630 vertical instalare  
2 x 3P debrosabil NSX630 vertical instalare  
2 x 4P debrosabil NSX630 vertical instalare  
2 x 3P fix CVS630 vertical instalare  
2 x 4P fix CVS630 vertical instalare  
2 x 3P fix CVS400 vertical instalare  
2 x 4P fix CVS400 vertical instalare  
numar de module verticale (50 mm): 13 module CVS400 fara protec?ie punere la p?mant , direct in 650 mm firida  
13 module CVS630 fara protec?ie punere la p?mant , direct in 650 mm firida  
13 module EZC400, direct in 650 mm firida  
13 module EZC630, direct in 650 mm firida  
10 module INS320...400, direct in 650 mm firida  
11 module INS500...630, direct in 650 mm firida  
10 module INV320...400, direct in 650 mm firida  
11 module INV500...630, direct in 650 mm firida  
11 module NSX400 fara protec?ie punere la p?mant , direct in 650 mm firida  
13 module NSX630 fara protec?ie punere la p?mant , direct in 650 mm firida  
15 module CVS400 cu protec?ie punere la p?mant , direct in 650 mm firida  
13 module CVS400 cu protec?ie punere la p?mant , direct in 650 mm firida  
15 module CVS630 cu protec?ie punere la p?mant , direct in 650 mm firida  
13 module CVS630 cu protec?ie punere la p?mant , direct in 650 mm firida  
13 module NSX400 cu protec?ie punere la p?mant , direct in 650 mm firida  
15 module NSX630 cu protec?ie punere la p?mant , direct in 650 mm firida  
standarde: IEC 61439-2  
certificari produs: ASTA  
material: Tabla de otel  
tratament protector: Tratare prin electroforeza si praf de poliester epoxidic, polimerizat puternic

finisare suprafata: Mat

Texturat

culoare: Alb (RAL 9003)

latime: 650 mm

inaltime: 372 mm

greutate neta: 5,08 kg

Unitate functionala: 650 mm 400 mm PrismaSeT P firida Easypact CVS400 fara fix comutare vertical 3P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS400 fara fix comutare vertical 4P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS400 fara fix manerul rotativ frontal direct vertical 3P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS400 fara fix manerul rotativ frontal direct vertical 4P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS630 fara fix comutare vertical 3P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS630 fara fix comutare vertical 4P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS630 fara fix manerul rotativ frontal direct vertical 3P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS630 fara fix manerul rotativ frontal direct vertical 4P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Easypact EZC400 fix comutare vertical 3P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact EZC400 fix comutare vertical 4P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact EZC630 fix comutare vertical 3P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact EZC630 fix comutare vertical 4P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact INS320...400 fix manerul rotativ frontal direct vertical 3P 1 direct 10 87,5 mm

650 mm 400 mm PrismaSeT P firida Compact INS320...400 fix manerul rotativ frontal direct vertical 4P 1 direct 10 87,5 mm

650 mm 400 mm PrismaSeT P firida Compact INS500...630 fix manerul rotativ frontal direct vertical 3P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact INS500...630 fix manerul rotativ frontal direct vertical 4P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact INV320...400 fix manerul rotativ frontal direct vertical 3P 1 direct 10 87,5 mm

650 mm 400 mm PrismaSeT P firida Compact INV320...400 fix manerul rotativ frontal direct vertical 4P 1 direct 10 87,5 mm

650 mm 400 mm PrismaSeT P firida Compact INV500...630 fix manerul rotativ frontal direct vertical 3P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact INV500...630 fix manerul rotativ frontal direct vertical 4P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix comutare vertical 3P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix comutare vertical 4P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare comutare vertical 3P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare comutare vertical 4P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix manerul rotativ frontal direct vertical 3P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix manerul rotativ frontal direct vertical 4P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix mecanism motor vertical 3P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix mecanism motor vertical 4P 1 direct 11 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare manerul rotativ frontal direct vertical

3P 1 direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare manerul rotativ frontal direct vertical  
4P 1 direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare mecanism motor vertical 3P 1 direct  
11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare mecanism motor vertical 4P 1 direct  
11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil comutare vertical 3P 1 direct 11  
137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil comutare vertical 4P 1 direct 11  
137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil manerul rotativ frontal direct vertical  
3P 1 direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil manerul rotativ frontal direct vertical  
4P 1 direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil mecanism motor vertical 3P 1 direct  
11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil mecanism motor vertical 4P 1 direct  
11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix comutare vertical 3P 2 direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix comutare vertical 4P 2 direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare comutare vertical 3P 2 direct 11 137,5  
mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare comutare vertical 4P 2 direct 11 137,5  
mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix manerul rotativ frontal direct vertical 3P 2  
direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix manerul rotativ frontal direct vertical 4P 2  
direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix mecanism motor vertical 3P 2 direct 11  
137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara fix mecanism motor vertical 4P 2 direct 11  
137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare manerul rotativ frontal direct vertical  
3P 2 direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare manerul rotativ frontal direct vertical  
4P 2 direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare mecanism motor vertical 3P 2 direct  
11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara conectare mecanism motor vertical 4P 2 direct  
11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil comutare vertical 3P 2 direct 11  
137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil comutare vertical 4P 2 direct 11  
137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil manerul rotativ frontal direct vertical  
3P 2 direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil manerul rotativ frontal direct vertical  
4P 2 direct 11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil mecanism motor vertical 3P 2 direct  
11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 fara debrosabil mecanism motor vertical 4P 2 direct  
11 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix comutare vertical 3P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix comutare vertical 4P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare comutare vertical 3P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare comutare vertical 4P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix manerul rotativ frontal direct vertical 3P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix manerul rotativ frontal direct vertical 4P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix mecanism motor vertical 3P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix mecanism motor vertical 4P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare manerul rotativ frontal direct vertical 3P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare manerul rotativ frontal direct vertical 4P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare mecanism motor vertical 3P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare mecanism motor vertical 4P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil comutare vertical 3P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil comutare vertical 4P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil manerul rotativ frontal direct vertical 3P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil manerul rotativ frontal direct vertical 4P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil mecanism motor vertical 3P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil mecanism motor vertical 4P 1 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix comutare vertical 3P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix comutare vertical 4P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare comutare vertical 3P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare comutare vertical 4P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix manerul rotativ frontal direct vertical 3P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix manerul rotativ frontal direct vertical 4P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix mecanism motor vertical 3P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara fix mecanism motor vertical 4P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare manerul rotativ frontal direct vertical 3P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare manerul rotativ frontal direct vertical 4P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare mecanism motor vertical 3P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara conectare mecanism motor vertical 4P 2 direct 13 187,5 mm

13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil comutare vertical 3P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil comutare vertical 4P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil manerul rotativ frontal direct vertical 3P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil manerul rotativ frontal direct vertical 4P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil mecanism motor vertical 3P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 fara debrosabil mecanism motor vertical 4P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS400 cu fix comutare vertical 3P 1 direct 15 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS400 cu fix comutare vertical 4P 1 direct 15 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS400 cu fix manerul rotativ frontal direct vertical 3P 1 direct 15 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS400 cu fix manerul rotativ frontal direct vertical 4P 1 direct 15 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS400 cu fix manerul rotativ frontal direct vertical 3P 2 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS400 cu fix manerul rotativ frontal direct vertical 4P 2 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS630 cu fix comutare vertical 3P 1 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS630 cu fix comutare vertical 4P 1 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS630 cu fix manerul rotativ frontal direct vertical 3P 1 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS630 cu fix manerul rotativ frontal direct vertical 4P 1 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS630 cu fix manerul rotativ frontal direct vertical 3P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Easypact CVS630 cu fix manerul rotativ frontal direct vertical 4P 2 direct 13 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu fix comutare vertical 3P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu fix comutare vertical 4P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu conectare comutare vertical 3P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu conectare comutare vertical 4P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu fix manerul rotativ frontal direct vertical 3P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu fix manerul rotativ frontal direct vertical 4P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu conectare manerul rotativ frontal direct vertical 3P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu conectare manerul rotativ frontal direct vertical 4P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil comutare vertical 3P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil comutare vertical 4P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil manerul rotativ frontal direct vertical 3P 1 direct 13 137,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil manerul rotativ frontal direct vertical

4P 1 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil mecanism motor vertical 3P 1 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil mecanism motor vertical 4P 1 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu fix comutare vertical 3P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu fix comutare vertical 4P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu conectare comutare vertical 3P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu conectare comutare vertical 4P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu fix manerul rotativ frontal direct vertical 3P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu fix manerul rotativ frontal direct vertical 4P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu conectare manerul rotativ frontal direct vertical 3P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu conectare manerul rotativ frontal direct vertical 4P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil comutare vertical 3P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil comutare vertical 4P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil manerul rotativ frontal direct vertical 3P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil manerul rotativ frontal direct vertical 4P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil mecanism motor vertical 3P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX400 cu debrosabil mecanism motor vertical 4P 2 direct 13 137,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu fix comutare vertical 3P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu fix comutare vertical 4P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu conectare comutare vertical 3P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu conectare comutare vertical 4P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu fix manerul rotativ frontal direct vertical 3P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu fix manerul rotativ frontal direct vertical 4P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu conectare manerul rotativ frontal direct vertical 3P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu conectare manerul rotativ frontal direct vertical 4P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil comutare vertical 3P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil comutare vertical 4P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil manerul rotativ frontal direct vertical 3P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil manerul rotativ frontal direct vertical 4P 1 direct 15 187,5 mm  
650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil mecanism motor vertical 3P 1 direct

15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil mecanism motor vertical 4P 1 direct

15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu fix comutare vertical 3P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu fix comutare vertical 4P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu conectare comutare vertical 3P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu conectare comutare vertical 4P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu fix manerul rotativ frontal direct vertical 3P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu fix manerul rotativ frontal direct vertical 4P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu conectare manerul rotativ frontal direct vertical 3P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu conectare manerul rotativ frontal direct vertical 4P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil comutare vertical 3P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil comutare vertical 4P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil manerul rotativ frontal direct vertical 3P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil manerul rotativ frontal direct vertical 4P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil mecanism motor vertical 3P 2 direct 15 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX630 cu debrosabil mecanism motor vertical 4P 2 direct 15 187,5 mm

Pret: 710,38 LEI (TVA inclus)

Detalii online: <https://www.materialeelectrice.ro/placa-de-montaj-2-nsx-cvs-ins-fix-plugin-toggle-rot-mot-3p-4p-630a-verticala-w650>