



## **SCHNEIDER PLACA DE MONTAJ VIGI NSX RETRACTABILA, 3/4P 250A LATIME 650**

Gama: PrismaSeT

gama de produse: PrismaSeT P

Tip produs sau componenta: Placa de montare

categorii accesorii / piese de schimb: Accesoriu de instalare

Compatibilitate gama: PrismaSeT (PrismaSeT P) dulap

Descrierea instalatiei: Firida 650 mm 400 mm

dispozitiv instalat: Compact debrosabil NSX100...160 fara protec?ie punere la p?mant - comand?: comutare - orizontal instalare

Compact debrosabil NSX100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact debrosabil NSX100...160 fara protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

Compact debrosabil NSX250 fara protec?ie punere la p?mant - comand?: comutare - orizontal instalare

Compact debrosabil NSX250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact debrosabil NSX250 fara protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

Compact debrosabil NSX100...160 cu protec?ie punere la p?mant - comand?: comutare - orizontal instalare

Compact debrosabil NSX100...160 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact debrosabil NSX100...160 cu protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

Compact debrosabil NSX250 cu protec?ie punere la p?mant - comand?: comutare - orizontal instalare

Compact debrosabil NSX250 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - orizontal instalare

Compact debrosabil NSX250 cu protec?ie punere la p?mant - comand?: mecanism motor - orizontal instalare

descrierea polilor: 1 x 3P debrosabil NSX100...160 orizontal instalare

1 x 4P debrosabil NSX100...160 orizontal instalare

1 x 3P debrosabil NSX250 orizontal instalare

1 x 4P debrosabil NSX250 orizontal instalare

numar de module verticale (50 mm): 5 moduleNSX100...160 fara protec?ie punere la p?mant , direct in 650 mm firida

5 moduleNSX250 fara protec?ie punere la p?mant , direct in 650 mm firida

5 moduleNSX100...160 cu protec?ie punere la p?mant , direct in 650 mm firida

5 moduleNSX250 cu protec?ie punere la p?mant , direct in 650 mm firida

standarde: IEC 61439-2

certificari produs: ASTA

material: Tabla de otel

tratament protector: Tratare prin electroforeza si praf de poliester epoxidic, polimerizat puternic

finisare suprafata: Texturat

Mat

culoare: Alb (RAL 9003)

latime: 575 mm

inaltime: 245 mm

greutate neta: 2,78 kg

Unitate functionala: 650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil manerul rotativ frontal direct orizontal 3P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil mecanism motor orizontal 3P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil manerul rotativ frontal direct orizontal 4P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil mecanism motor orizontal 4P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil comutare orizontal 3P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil comutare orizontal 4P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil manerul rotativ frontal direct orizontal 3P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil mecanism motor orizontal 3P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil manerul rotativ frontal direct orizontal 4P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil mecanism motor orizontal 4P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil comutare orizontal 3P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil comutare orizontal 4P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil manerul rotativ frontal direct orizontal 3P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil mecanism motor orizontal 3P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil manerul rotativ frontal direct orizontal 4P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil mecanism motor orizontal 4P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil comutare orizontal 3P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil comutare orizontal 4P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu debrosabil manerul rotativ frontal direct orizontal  
3P 1 direct 5 12,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu debrosabil mecanism motor orizontal 3P 1 direct  
5 12,5 mm

Pret: 419,79 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/placa-de-montaj-vigi-nsx-retractabila-3-4p-250a-latime-650>