



SCHNEIDER PLACA DE MONTAJ 3, 4 VERTICALA, NS250

Gama: PrismaSeT

gama de produse: PrismaSeT P

Tip produs sau componenta: Placa de montare

categorii accesorii / piese de schimb: Accesoriu de instalare

Compatibilitate gama: PrismaSeT (PrismaSeT P) dulap

Descrierea instalatiei: Firida 650 mm 400 mm

dispozitiv instalat: Compact conectare NSX100...160 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact conectare NSX250 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact conectare NSX100...160 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact conectare NSX250 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact conectare NSX100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX100...160 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact conectare NSX250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX250 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact debrosabil NSX100...160 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX100...160 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX100...160 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact debrosabil NSX250 fara protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX250 fara protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX250 fara protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact conectare NSX100...160 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX100...160 cu protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact debrosabil NSX100...160 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX100...160 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX100...160 cu protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact conectare NSX250 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact conectare NSX250 cu protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

Compact debrosabil NSX250 cu protec?ie punere la p?mant - comand?: comutare - vertical instalare

Compact debrosabil NSX250 cu protec?ie punere la p?mant - comand?: manerul rotativ frontal direct - vertical instalare

Compact debrosabil NSX250 cu protec?ie punere la p?mant - comand?: mecanism motor - vertical instalare

descrierea polilor: 4 x 3P conectare NSX100...160 vertical instalare

3 x 4P conectare NSX100...160 vertical instalare

2 x 3P debrosabil NSX100...160 vertical instalare

2 x 4P debrosabil NSX100...160 vertical instalare

4 x 3P conectare NSX250 vertical instalare

3 x 4P conectare NSX250 vertical instalare

2 x 3P debrosabil NSX250 vertical instalare

2 x 4P debrosabil NSX250 vertical instalare

numar de module verticale (50 mm): 8 moduleNSX100...160 fara protec?ie punere la p?mant , direct in 650 mm firida

9 moduleNSX250 fara protec?ie punere la p?mant , direct in 650 mm firida

10 moduleNSX100...160 cu protec?ie punere la p?mant , direct in 650 mm firida

11 moduleNSX250 cu protec?ie punere la p?mant , direct in 650 mm firida

7 moduleNSX100...160 fara protec?ie punere la p?mant , Linergy FC in 650 mm firida

9 moduleNSX100...160 fara protec?ie punere la p?mant , direct in 650 mm firida

8 moduleNSX250 fara protec?ie punere la p?mant , Linergy FC in 650 mm firida

10 moduleNSX250 fara protec?ie punere la p?mant , direct in 650 mm firida

9 moduleNSX100...160 cu protec?ie punere la p?mant , Linergy FC in 650 mm firida

11 moduleNSX100...160 cu protec?ie punere la p?mant , direct in 650 mm firida

9 moduleNSX100...160 cu protec?ie punere la p?mant , direct in 650 mm firida

10 moduleNSX250 cu protec?ie punere la p?mant , Linergy FC in 650 mm firida

12 moduleNSX250 cu protec?ie punere la p?mant , direct in 650 mm firida

10 moduleNSX250 cu protec?ie punere la p?mant , direct in 650 mm firida

standarde: IEC 61439-2

certificari produs: ASTA

material: Tabla de otel

tratament protector: Tratare prin electroforeza si praf de poliester epoxidic, polimerizat puternic

finisare suprafata: Texturat

Mat

culoare: Alb (RAL 9003)

latime: 603 mm

inaltime: 202 mm

adancime: 372 mm

greutate neta: 3,2 kg

Unitate functionala: 650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare manerul rotativ frontal direct vertical 3P 4 Linergy FC 7 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare mecanism motor vertical 3P 4 Linergy FC 7 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare manerul rotativ frontal direct vertical 4P 3 Linergy FC 7 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare mecanism motor vertical 4P 3 Linergy FC 7 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare comutare vertical 3P 4 direct 9 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare comutare vertical 4P 3 direct 9 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare manerul rotativ frontal direct vertical 3P 4 direct 9 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare manerul rotativ frontal direct vertical 4P 3 direct 9 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare mecanism motor vertical 3P 4 direct 9 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara conectare mecanism motor vertical 4P 3 direct 9 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil comutare vertical 3P 2 direct 8 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil comutare vertical 4P 2 direct 8 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil manerul rotativ frontal direct vertical 3P 2 direct 8 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil manerul rotativ frontal direct vertical 4P 2 direct 8 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil mecanism motor vertical 3P 2 direct 8 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 fara debrosabil mecanism motor vertical 4P 2 direct 8 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare manerul rotativ frontal direct vertical 3P 4 Linergy FC 8 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare mecanism motor vertical 3P 4 Linergy FC 8 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare manerul rotativ frontal direct vertical 4P 3 Linergy FC 8 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare mecanism motor vertical 4P 3 Linergy FC 8 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare comutare vertical 3P 4 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare comutare vertical 4P 3 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare manerul rotativ frontal direct vertical 3P 4 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare manerul rotativ frontal direct vertical 4P 3 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare mecanism motor vertical 3P 4 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara conectare mecanism motor vertical 4P 3 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil comutare vertical 3P 2 direct 9 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil comutare vertical 4P 2 direct 9 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil manerul rotativ frontal direct vertical 3P 2 direct 9 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil manerul rotativ frontal direct vertical 4P 2 direct 9 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 fara debrosabil mecanism motor vertical 3P 2 direct 9 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil comutare vertical 3P 2 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil comutare vertical 4P 2 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil manerul rotativ frontal direct vertical 3P 2 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil manerul rotativ frontal direct vertical 4P 2 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil mecanism motor vertical 3P 2 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX100...160 cu debrosabil mecanism motor vertical 4P 2 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare manerul rotativ frontal direct vertical 3P 4 Linergy FC 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare mecanism motor vertical 3P 4 Linergy FC 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare manerul rotativ frontal direct vertical 4P 3 Linergy FC 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare mecanism motor vertical 4P 3 Linergy FC 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare comutare vertical 3P 4 direct 12 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare comutare vertical 4P 3 direct 12 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare manerul rotativ frontal direct vertical 3P 4 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare manerul rotativ frontal direct vertical 4P 3 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare mecanism motor vertical 3P 4 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu conectare mecanism motor vertical 4P 3 direct 10 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu debrosabil comutare vertical 3P 2 direct 11 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu debrosabil comutare vertical 4P 2 direct 11 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu debrosabil manerul rotativ frontal direct vertical 3P 2 direct 11 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu debrosabil manerul rotativ frontal direct vertical 4P 2 direct 11 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu debrosabil mecanism motor vertical 3P 2 direct 11 187,5 mm

650 mm 400 mm PrismaSeT P firida Compact NSX250 cu debrosabil mecanism motor vertical 4P 2 direct 11 187,5 mm

Pret: 335,86 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/placa-de-montaj-3-4-verticala-ns250>