



**GEWISS STATIE DE INCARCARE - MODUL 2 IN AC1XSOCKET-OUTLET SHUKO 16A
+ 1X3P + N + T 16A IEC 309 + 1X3P + N + T 32A IEC 309**

DATE TEHNICE

Mod incarcare (EN 61851)

2

Cutie de incarcare (EN 61851)

A-B

Tensiune de alimentare

230V

Frecventa

50Hz

Curent nominal

50 A

Putere max.
22 kW

Timp incarcare
9-1 h

Tip incarcare
Lent

Protectie
RCBO

Activare utilizatori
Direct

Clasa de protectie IP
IP54 (IP21 cand este introdusa fisa)

Material
Termoplastic

Cod IK
IK08

Suprafata externa
RAL 6018 Rosu

Temperatura de functionare
-25 +40 °C

Priza standard ITA/DE 16 A

1

Priza 3P+N+T 16A - IEC 309

1

Priza 3P+N+T 32A - IEC 309

1

Pret: 3.600,84 LEI (TVA inclus)

Detalii online: <https://www.materialelectrice.ro/statie-de-incarcare-modul-2-in-ac1xsocket-outlet-shuko-16a-1x3p-n-t-16a-iec-309-1x3p-n-t-32a-iec-309-45193>